FLAG SHIP
YACHTS

# CANTIERI NAVALI LAVAGNA




| | | |
|---|---|---|
| TYPE | ADMIRAL 33M | |
| BUILDER | CANTIERI NAVALI LAVAGNA | |
| YEAR | 2010 | |
| DIMENSIONS | LOA | 33,241m (109,058ft) |
| | Beam | 7,10m (23,294ft) |
| CONSTRUCTION | Hull | ALUMINIUM |
| SPEED | Cruising | 28 KNOTS |
| ACCOMMODATION | Guests | 4 CABINS/8 GUESTS |
| | Crew | 5 |
| MACHINERY | 2 X 2.400 HP MTU | |
| LYING | ATHENS, GREECE | |
| PRICE | €7.300.000 VAT NOT PAID | |

29, Posidonos Ave. & 1 Gr. Afxentiou Str. 17455, Alimos, Greece Tel.: +30 210 8946230, e-mail:info@flagship-yachts.com, http://flagship-yachts.com



*2*



*3*



*4*



*5*



*6*



*7*




8




9




*12*



*11*



*10*




*13*

# TECHNICAL SPECIFICATION

## CONSTRUCTION

| | |
|---|---|
| DECKS | Teak Laid decks with white rubber insert |
| HULL | Aluminium<br>Hull color: Navy Blue |
| SUPERSTRUCTURE | Aluminium |

## MAIN CHARACTERISTICS

| | |
|---|---|
| TYPE | Admiral 33m |
| BUILDER | Cantieri Navali Lavagna |
| DESIGNER | Cantieri Navali Lavagna |
| YEAR | Built: 2009<br>Commissioned: 2010 |
| CLASSIFICATION | American Bureau of Shipping, Maltese Cross A1 "Commercial Yachting Service", AMS |
| L.O.A | 33,25 Mtrs / 113,2 Ft |
| BEAM | 7,10 Mtrs / 23,3 Ft |
| DRAFT | 2,5 Mtrs 7,6 Ft |
| MAX. SPEED | Approx. 30 knots @ 2.450 rpm |
| CRUISING SPEED | Approx. 28 knots@ 2.200 rpm |
| DISPLACEMENT | 110 Tons (half load) |
| CRUISING RANGE | 1,000 NM |
| CONSUMPTION | 760 Ltrs/hr |
| FUEL CAPACITY | 21,400 Ltrs (3 x Double bottoms + 2 x Tanks) |
| WATER CAPACITY | 4,400 Ltrs (2 x Day tanks) |
| BLACK WATER | 1,000 Ltrs (1 x Tank) |
| GREY WATER | 1,000 Ltrs (1 x Tank) |
| LUBE OIL | 190 Ltrs (1 x Tank) |
| DIRTY LUBE OIL | 190 Ltrs (1 x tank) |

## MACHINERY

| | |
|---|---|
| ENGINES | 2 x 2,400 hp MTU diesel engines, model 16V 2000 M 93 @ 2.450 rpm |
| ENGINE HOURS | TBC |
| GENERATORS | 2 x 40 kW Kohler - 380V, 3-phase, 50 Hz |
| GENERATOR HOURS | TBC |
| OTHER EQUIPMENT | Racor or Separ type fuel filters<br>Alfa Laval MIB 303 fuel centrifugal fuel purifier |
| REDUCTION GEAR | 2 x ZF 3060 reduction gears |
| PROPELLERS | 2 x Nibral 4-bladed fixed pitch |
| BOW THRUSTER | 1 x Hydrosystem model BT 60, 40 kW, hydraulically powered |
| STERN THRUSTER | 1 x Hydrosystem model BT 60, 40 kW, hydraulically powered |
| BILGE SYSTEM | The system is divided into two zones, with separate pumps, piping and manifold for each zone. Each zone is fitted with level indicators able to automatically turn on the bilge pumps.<br>The two bilge pipelines are connected to their respective pumps by means of two different manifolds, each having the ability to cross-connect to the other for emergency purposes. |
| STEERING SYSTEM | Electric steering system<br>2 x Compensated rudders made of stainless steel, with hydraulic control |
| TRIM TABS | 2 x Aluminium flaps, aligned with the bottom, are fitted on the transom. The movement is given by an independent hydraulic power unit acting on two pistons for each flap |
| PUMPS | 2 x Gianneschi e Ramacciotti CP 40\|160 seawater pumps<br>2 x Gianneschi e Ramacciotti CP 40/160 bilge pumps<br>2 x Gianneschi e Ramacciotti Jet 4 electric water pumps |
| SEWAGE SYSTEM | Hamann |
| AIR CONDITIONING | Chilled water type air conditioning system |
| ELECTRICITY | 380V AC, 50 Hz, for the air conditioning system, the refrigerator compressors, the air compressor, the hydraulic power units, the water maker and the battery charger<br>220V AC, 50 Hz, for the household appliances, the lighting, TV, Hi-Fi, the outlets in the cabins, etc.<br>24V DC, for the navigation and communication equipment |
| SHORE POWER | Shore power outlet, 380V, at least 63 A, 3-phase, equipped with a 25m cable with plug<br>A 40 KVA isolation transformer; input voltage 220V and 380V 3-phases - output voltage 380 V, 3P+N |
| BATTERIES | 24V, 360 Ah battery bank for main engine startup<br>24V, 220 Ah battery bank for generator startup<br>All batteries are gel type |
| WATERMAKER | 1 x Idromar watermaker - 230 Ltrs/hr |

## ACCOMMODATION

| | |
|---|---|
| MASTER CABIN | One Master cabin with double bed and ensuite facilities |
| VIP CABIN | One VIP cabin with double bed and ensuite facilities |
| GUEST'S CABIN | Two twin Guest cabins, each with ensuite facilities |
| CREW CABIN | One Captain's cabin with semi-double bed and ensuite facilities<br>Two twin Crew cabins, each with ensuite facilities |

## GALLEY EQUIPMENT

| | |
|---|---|
| OTHER EQUIPMENT | 3 x Ice makers (Saloon, Galley, Flybridge) |
| FAN EXTRACTOR | 2 x Gianneschi & Ramaciotti exhaust fans<br>Alpes Inox CFE 90-A-2 exhaust filtering hood |
| COOKER | Miele electric cooking plates |
| DISHWASHER | Miele G 653 SCVI<br>1 x Dishwasher (Pantry) |
| REFRIGERATOR | 5 x Refrigerators (Galley, Pantry, Crew Mess, Saloon, Flybridge) |
| MICROWAVE | Miele M 636 EC microwave oven<br>2 x Microwave ovens (Crew Mess, Pantry) |
| OVEN | Miele H 399 B electric |
| SINK | Hand basin Alpes Inox |

## LAUNDRY EQUIPMENT

| | |
|---|---|
| WASHING MACHINE | Miele W 467 UPS |
| DRYER | Miele T 277 |

## COMMU/TION EQUIPMENT

| | |
|---|---|
| SATCOM SYSTEM | 1 x TV Antenna Discos Offel + PSA 30 + Distribution TV ed FM Digital-Analogic signal<br>1 x TV SAT Antenna Seatel 3098 |
| SSB | 1 x SSB Furuno FS 1570 DSC |
| VHF | 1 x VHF Furuno FM 8500 DSC<br>1 x VHF Furuno FM 2721 |
| MINI M | 1 x SAT phone Nera Worldphone standard Mini-M |
| TELEPHONE | Panasonic KXT 816 T telephone-intercom system<br>Each cabin is provided with telephone |
| INTERCOM | Panasonic KXT 816 T telephone-intercom system, communication (Fwd, Aft, Fly, Wheelhouse, Engine Room, Garage, Rudder Area) |

## NAVIGATION EQUIPMENT

| | |
|---|---|
| OTHER EQUIPMENT | 1 x Barigo barometer/thermometer/igrometer<br>1 x Barigo watch<br>1 x Wind meter airman with repeater on flybridge<br>Wind direction finder analogic<br>1 x Furuno LH 3000 loudhailer with a station close to the emergency rudder<br>All equipment are interfaced (Autopilot, Radar, Plotter, GPS, Gyro-Compass, Electronic Compass, Echosounder) |
| ECHOSOUNDER | 1 x Furuno FCV 600 L colour echosounder with fish finder with separate sensor<br>1 x Furuno FI 30 digital echosounder with repeater |
| FISHFINDER | Yes |
| SPEEDMETER | 1 x Furuno FI 30 digital speed indicator with repeater |
| RADAR | 1 x Furuno FAR 2117 Radar 96 miles ARPA |
| AUTOPILOT | 1 x Navicontrol AP 3003 automatic pilot (Double Station) |
| COMPASS | 1 x Ritchie FN 201 magnetic compass<br>1 x Furuno FI 30 electronic compass |
| GYROCOMPASS | 1 x Simrad RGC 50 |
| NAVTEX | Furuno NX 500 |
| GPS-PLOTER | 1 x Plotter LCD by GeoNav or Lorenz Starlight connected with GPS or equivalent, and Small repeater on the Fly screen size 7" |
| GPS | 1 x Furuno GP 90GPS with separate GPS antenna |
| SEARCHLIGHT | 2 x Sanshin HR 1012 searchlights with control station also on the flybridge |

## ENTERTAINMENT EQUIPMENT

| | |
|---|---|
| OTHER EQUIPMENT | Sony Play-Station or Microsoft X-Box<br>iPort IW-2 iPod In-Wall Docking Station |
| TV | 1 x 42" NEC LCD HDTV (Saloon)<br>1 x 32" Sharp LCD / VRC HDTV (Master Cabin)<br>6 x 20" LCD HDTVs (VIP, 2xGuest, 3xCrew cabins)<br>1 x 26" Sharp LCD HDTV (Crew Mess) |
| DVD | 2 x Sony DVD+VTR (Saloon, Master Cabin)<br>DVD players throughout yacht |
| CD | CD players throughout yacht |
| STEREO SYSTEM | 1 x Hi-Fi home-theatre surround system CD/DVD Bose Lifestyle 35 or equivalent in the main saloon with related speakers: 6xMain Saloon, 2xAft deck<br>Bose mini stereo system supported by CD-Radio-MP3-DVD (All guest cabins)<br>Sony CDX L-480 car stereo (Supported by CD-Radio-MP3-DVD) with speakers Sony 331 (Crew Mess, Captain's, Crew Cabins) |

## TENDERS & TOYS

| | |
|---|---|
| TENDER | Zodiac Projet 420 TC4 |

## DECK EQUIPMENT

| | |
|---|---|
| LADDER | Marquipt side |
| WINDLASS | 2 x Maxwell VWC 4500 vertical windlasses, maximum power 4.0 kW each, on the foredeck |
| CAPSTANS | 2 x Electric Maxwell VC4000 capstans, maximum power 3.5 kW each, on the aft main deck |
| ANCHOR | 2 x 160kg each galvanised steel anchors with high holding power (U2)<br>2 x Hot dip galvanized chains, 1 x port of 140m length +1 x stbd of 140m length, and 16 mm diameter each |
| BIMINI TOP | 2 x Electric bimini tops |
| DAVITS/CRANES | Sanguineti Chiavari beam crane, with 800 kg minimum lifting capacity for 4.2m tender with outboard engine, in the garage<br>Sanguineti Chiavari telescopic arm crane, with 500 kg lifting capacity, in the forward garage |
| GANGWAY | 1 x 4.2m Sanguineti Chiavari (Model Sirius) telescopic gangway, electrically-powered |
| STERN PLATFORM | A fixed swim platform is installed in the transom. It is built of aluminium with teak deck flooring |
| BBQ | 1 x Small electric BBQ (Flybridge) |

## SAFETY EQUIPMENT

| | |
|---|---|
| OTHER EQUIPMENT | 1 x Set of parachute rockets<br>Set of flares and signals<br>1 x EPIRB |
| LIFE RAFT | 2 x 8-Person Eurovinil self-inflating life-rafts (Flybridge) |
| LIFE RINGS | 2 x Life rings with safety lights and floating ropes luminous buoy installed on the lateral sides of the roll-bar |
| LIFE JACKETS | 16 x Adult life jackets fitted with light and whistle<br>6 x Children life jackets fitted with light and whistle |
| FIRE FIGHTING | A fire fighting system is fitted in accordance with the American Bureau of Shipping requirements<br>2 x Hydrants, equipped with a 30m hose are installed in the foredeck and aft deck bulwarks<br>CO2 fire extinguishing system in the engine room (Hand operated from the wheelhouse area) |
| ALARM SYSTEM | The alarm system is composed of three smoke sensors located in the engine room and an alarm station and is equipped with a powerful howler mounted below the wheelhouse, inside the wheelhouse and in the Captain's & Engineer's cabins<br>Anti-burglar alarm |
| FIRE EXTINGUISHERS | 5 x CO2 extinguishers, 5 kg each, are mounted throughout the vessel (2xEngine room, Aft peak, Aft garage, Under the wheelhouse)<br>Portable extinguishers, powder type, are installed in each cabin, as required by the American Bureau of Shipping and according to Hellenic register of shipping |
| SECURITY SYSTEM | CCTV 14’ Colour Monitors (Five cameras: 1xOutside aft, 1xUnder the arch with 360 deg view (At shipyard’s charge), 2xIn corridors and one in engine room with 360 deg view and zoom) |

THE COMPANY OFFERS THE DETAILS OF THIS VESSEL IN GOOD FAITH BUT CANNOT GUARANTEE OR WARRANT THE ACCURACY OF THIS INFORMATION NOR WARRANT THE CONDITION OF THE VESSEL. A BUYER SHOULD INSTRUCT HIS AGENTS, OR HIS SURVEYORS, TO INVESTIGATE SUCH DETAILS AS THE BUYER DESIRES VALIDATED. THIS VESSEL IS OFFERED SUBJECT TO PRIOR SALE, PRICE CHANGE, OR WITHDRAWAL WITHOUT NOTICE.